

**Notice of Allowability**

Application No.

10/693,889

Examiner

DANIEL G. MARIAM

Applicant(s)

KONDO ET AL.

Art Unit

2621

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to an amendment filed 11/24/04 & a telephone interv. on 5/12/05.
2. ☒ The allowed claim(s) is/are 27.
3. ☒ The drawings filed on 28 October 2003 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☒ Certified copies of the priority documents have been received in Application No. 09/363,655.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date 05/11/2005.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

**DANIEL MARIAM**  
**PRIMARY EXAMINER**

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. Amend the specification as follows:

3. At page 1, line 3, after "1999" insert "which is now U.S. Patent No. 6,674,902 issued on January 6, 2004.

Authorization for the following examiner's amendment was given in a telephone interview with Justin J. Oliver (Reg. No. 44,986) on May 11, 2005.

The application has been amended as follows:

4. Cancel claim 28.

5. Amend claim 27 as follows:

At line 6, after the limitation "method" insert " , wherein said outline renewal step further comprises: a renewal interval setup step of designating a renewal interval on said outline; a non-renewal interval setup step of designating a non-renewal interval on said outline; an outline part renewal step of renewing the shape of said outline at said renewal interval using a predetermined method" - -

### *Allowable Subject Matter*

6. Claim 27 is allowed. The claim will be renumbered as 1.

7. The following is an examiner's statement of reasons for allowance: the closest prior art of Yoneyama does not teach or fairly suggest, among other things, an outline setup step of setting a

Art Unit: 2621

closed outline in a predetermined shape which encloses the object to be extracted, and an outline renewal step of renewing the predetermined shape of the closed outline by a predetermined method, wherein said outline renewal step further comprises: a renewal interval setup step of designating a renewal interval on the outline; a non-renewal interval setup step of designating a non-renewal interval on the outline; and an outline part renewal step of renewing the shape of said outline at said renewal interval using a predetermined method. It is for this reason and in combination with all of the other elements of the claims that claim 27 is allowable over the closest prior art of Yoneyama.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


### ***Conclusion***

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to DANIEL G. MARIAM whose telephone number is 571-272-7394. The examiner can normally be reached on M-F (7:00-4:30) FIRST FRIDAY OFF.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, BHAVESH M. MEHTA can be reached on 571-272-7453. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2621

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
**DANIEL MIRIAM**  
**PRIMARY EXAMINER**  
May 12, 2005